




Bugfixes

2019-20.20



Technical Inquiries

Please ask the responsible contact person in our support department.

E-mail: e3-support@de.zuken.com

Note:

Zuken is not responsible for any errors, which may appear in this documentation. Liability, due to direct and indirect losses resulting from the delivery or use of this documentation, is excluded to the extent permitted by law. This documentation contains copyrighted information. All rights, especially those pertaining to the duplication and distribution as well as the translation, are reserved. This documentation, whether wholly or in part, may not be reproduced in any form (photocopy, microfilm, etc.), or processed, duplicated or distributed using an electronic system without Zuken's prior written consent.

Contact

Zuken E3 GmbH
Laemmerweg 55
D-89079 Ulm/Einsingen

Phone : +49 7305 9309-0
Fax: +49 7305 9309-99
Web: <http://www.zuken.com>
E-mail: e3-info@zuken.com

Bugfixes

INFORMATION



When opening a project with the new version (2019-20.20), projects of the directly previous version (2019-20.13)

are converted and can no longer be opened with the previous version

Single-User

Multi-User

are not converted and can still be opened with the previous version

Single-User

Multi-User

COM Registration

the COM library has been changed and should be registered again
(start the program as ADMIN using „E3.series.exe /register“)

The bug fixes are sorted and listed by designer number(s). This enables you, for example, to easily search for bugs reported to our support office.

Designer-14635	New function: Shield symbol's size should automatically be adjusted to connection line's position, when they are modified
Designer-32180	New function in NetsegmentInterface to get all placed bundle symbol from a net segment
Designer-34361	Wire Seal models only with metric outer diameter for wire diameter, AWG values can be selected - depending on the definition in configuration database
Designer-35045	Panel door might not be visible in 2D in specific combinations
Designer-35366	Incorrect mounting rail optimization for terminals with connected devices
Designer-35439	When copying or moving connect lines, options on other connect lines are possibly deleted
Designer-35609	When renaming a node of a structured Device Tree with F2 or "Rename" in context menu, destination sheet reference not updated
Designer-35633	Bad performance when saving a project with COM call "prj.SaveSheetsAsSingleUser"
Designer-35656	If several connectors are shown in one symbol in Formboard and moved, the associated Formboard tables disappear
Designer-35677	Refactor: E3.series: "GID messages" may appear when opening multiuser projects
Designer-35728	When exchanging a terminal component, the terminal symbols are swapped.
Designer-35734	Schematic type definition in "Treeview" tab doesn't work correctly
Designer-35737	Error message 'E - Error in function hncpst\get_cpst_pins_to_connect_name_first(), ret = 11' at display of context menu in device tree - defined mating connector without pins
Designer-35750	When displaying an attribute with text node #1000, the correct text node is not always generated via the Device Properties.

Designer-35752	Copying text with special characters leads to E - Error in function CBTEXT , ret = 3 rc = 5
Designer-35763	No clear message that description limited to 256 characters when renaming multi-user project description
Designer-35793	Sheets in PDF are displayed after a 'jump to' command with a zoom factor even if the related setting is defined as 0 %
Designer-35802	New function: Placement of connector with inserts as pin group for each insert (top level) and as one pingroup with all pins
Designer-35803	Internal device designation of a block connector hyphenated when importing a .csv file
Designer-35813	New function: Optional export of levels of symbol graphics in DXF available
Designer-35841	Flag 'Don't purge if device is unused' not transferred for cables via drawing file or design file
Designer-35874	2D view - A model that has already been rotated by 180 degrees can no longer be placed on a mounting rail after another rotation - Message 'Invalid position'
Designer-35907	COM: Connection.Create - errors when creating overlapped connections
Designer-35916	After executing "Split block" command and rotating, block and its outline no longer agree if "Mark split blocks" setting used
Designer-35932	Searching for signal 'FG' generates warning 'W - chain\validate_this: 0 is invalid'
Designer-35933	DBE: Since patch 2019-20.13 it is no longer possible to call the database editor by editing a device at database tree in project mode
Designer-35936	Terminal plan - all connection points of terminal displayed as one line for PE terminals
Designer-35943	Different number of connection targets depending on the connection order of the wires
Designer-35953	Updating subcircuit in project outputs red error messages
Designer-35958	E3.topology: Crash when assigning a connector to a disconnecting point
Designer-35959	Copy or export of a multiuser project doesn't work with 64-bit multiuser server
Designer-35975	Attribute text template doesn't show the connected wire names when assigned to the connect node
Designer-35988	Error message 'E - Error in function void __thiscall MuDisplayCollector::redisplay_celtxts(void) const, ret = 1' when saving project without options
Designer-35989	When opening multi-user projects, the error 'E - Update failed. Update failed because of conflicting changes. Object with gid '2-4-0-5cc' has already been modified by' appears but the project remains open.
Designer-36072	Connection logic lines may disappear when activating a sheet
Designer-36077	Bad performance in cable properties dialog if many different outer diameters are defined in the configuration database
Designer-36139	Change component shows error 'E - Error in Function hnsignal\change_sig_or_sigclass(), ret = 4' - The last action will be withdrawn



Americas

North America

Zuken USA Inc.
Westford, MA 01886, USA
Tel: +1 978 692 4900

Asia

Japan

Zuken (World Wide Head Office)
Yokohama, Kanagawa 224-8585, Japan
Tel: +81 45 942 1511

China

Zuken (Shanghai) Technical Center Co., Ltd.
Room 301, No.555 Nanjing West Road, Shanghai,
200041, People's Republic of China
Tel: +86-21-3218-1784

Korea

Zuken Korea Inc.
Seoul 135-283, Korea
Tel: +82 2 5648031

Singapore

Zuken Singapore Pte Ltd.
#22-05 Gateway East, Singapore 189721
Tel: +65 6392 5855

Taiwan

Zuken Taiwan Inc.
Taipei 110, Taiwan
Tel: +886 2 7718 1116



Europe

Germany

Zuken GmbH (European HQ)
D-85399 Hallbergmoos, Germany
Tel: +49 89 7104059 00

Zuken E3 GmbH
D-89079 Ulm, Germany
Tel: +49 7305 9309 0

Zuken E3 GmbH
D-30659 Hannover, Germany
Tel: +49 511 8595 9489

Switzerland

Zuken E3 GmbH
CH-5504 Othmarsingen, Switzerland
Tel: +41 56 437 08 90

United Kingdom

Zuken UK Ltd.
Bristol, BS32 4RF, UK
Tel: +44 1454 207 801

France

Zuken S.A.
#91974 Les Ulis Cédex, France
Tel: +33 1 69 29 48 00

Italy

Zuken S.r.l.
20090 Milanofiori Assago, Milan, Italy
Tel: +39 02 575 921

Netherlands

Zuken GmbH
NL-6075 HA Herkenbosch, The Netherlands
Tel: +31 475 520 998