




Bugfixes

2021-22.52



Technical Inquiries

Please ask the responsible contact person in our support department.

E-mail: e3-support@de.zuken.com

Note:

Zuken is not responsible for any errors, which may appear in this documentation. Liability, due to direct and indirect losses resulting from the delivery or use of this documentation, is excluded to the extent permitted by law. This documentation contains copyrighted information. All rights, especially those pertaining to the duplication and distribution as well as the translation, are reserved. This documentation, whether wholly or in part, may not be reproduced in any form (photocopy, microfilm, etc.), or processed, duplicated or distributed using an electronic system without Zuken's prior written consent.

Contact

Zuken E3 GmbH
Laemmerweg 55
D-89079 Ulm/Einsingen

Phone : +49 7305 9309-0
Fax: +49 7305 9309-99
Web: <http://www.zuken.com>
E-mail: e3-info@de.zuken.com

Bugfixes

INFORMATION



When opening a project with the new version (2021-22.51), projects of the previous version (2021-22.52)

are converted and can no longer be opened with the previous version.

Single-User

Multi-User

are not converted and can still be opened with the previous version.

Single-User

Multi-User

COM Registration

the COM library has been changed and should be registered again (start the program as ADMIN using „E3.series.exe /register“)

The bug fixes are sorted and listed by designer number(s). This enables you, for example, to easily search for bugs reported to our support office.

Designer-38957	Error message 'E - Error in function UpdateTextWithSpecifiedSource::GetAttrFlags(), ret = 2' or when applying attribute indicator to connection.
Designer-41411	If new segments are created when moving segments in E3.formboard, they should be connected via segment-connecting nodes to reduce problems when importing a harness (update) via E3.3DRoutingBridge.
Designer-41429	Models might be visible only in 3D representation.
Designer-41859	It may happen that the display sequence of devices snapped on in 2D view is not correct.
Designer-41873	Search for attributes - name: 'Valid mating connector' - value from the selection list - nothing found.
Designer-42106	COM: 'GetBOMPartList' should output "ParentStructureNodeGID" for wires in dynamic cables.
Designer-42167	COM: 'Symbol.PlacePins' of a device view does not work with feed through connector.
Designer-42237	COM: 'JobInterface::GetLastAddedItems' returns only one item if you place attribute references via 'insert multiple times'.
Designer-42357	An existing restricted area is misinterpreted.
Designer-42574	DBE: If an internal attribute is used for component names and this attribute is not available everywhere, the <valid cavity parts> selection will only show ???
Designer-42593	Depending on the placement in the panel, texts of models are displayed or not.
Designer-42606	The auxiliary line of a text to the owner may not point to the symbol graphic.
Designer-42618	In symbol properties, same text types (in the example the signal names) are not displayed below each other.

Designer-42623	Update in project causes change of wire type if setting 'General - Update in project - Prefer order of symbol, core and pin' is active.
Designer-42625	Optimize graphic objects' changes line width to 0 and it might happen with polygons that the shape is changed.
Designer-42700	PDF export: wire template symbols are output in PDF despite disabled option.
Designer-42726	In graphical compare of E3S files, some sheets are displayed in a different folder and sheet texts are reported as different.
Designer-42760	E3.Topology - signal logic lines are not displayed with split block.
Designer-42772	Settings - General - Checks' (0041) Open function ports cannot be disabled individually. Only in combination with check (0043).
Designer-42784	It may happen that an incorrect device designation is created when placing on a sheet with assignment/location.
Designer-42785	Importing subcircuit and reading from e3d fails because of inconsistency of the base project. => Error which leads to the inconsistency is fixed.
Designer-42786	Models might be visible only in 3D representation.
Designer-42808	Command "Distribute vertically" does not work correctly for mounting rails.
Designer-42811	"Save current configuration without variants / options" - conductors are no longer displayed.
Designer-42850	Panel - placement of dynamic components on 2D view not possible.
Designer-42851	After copying panel sheets, wrong coordinates are displayed.
Designer-42869	Database editor: Starting directly with /DBE not possible if existing license for SmallProject and sheet limit not equal to 30.
Designer-42870	When the terminal table is switched on, it might happen that the messages "chain\validate_this: xxxx is invalid" will appear.
Designer-42887	Attribute text indicator initially displays attribute value of cable bundle/overbraids.
Designer-42904	E3.RevisionManagement: PDF file shows wrong representations.
Designer-42947	Project conversion with parameter /sheets leads to error message "invalid file type" and E3 is freezing.
Designer-42959	If there are many wires in a project, they can no longer be renamed.
Designer-42971	With active setting "Keep active mating connectors and cavity parts", active mating connectors are swapped regardless.
Designer-42975	When connecting mating connectors, open conductor ends of open connections are not assigned.
Designer-42994	Create PDF: Message "A link annotation refers to non-existing page" for hierarchically sorted sheet tree.
Designer-43043	Exporting (and importing) subcircuit is faulty because a wrong symbol version is exported.
Designer-43051	After opening and editing an embedded PowerPoint file, the message "W - Not enough memory to complete the operation." shows up.
Designer-43090	Placing a split block results in the error message "E - Invalid position - symbol cannot be placed on block symbol!"
Designer-43100	Pins of connector symbols placed on a block cannot be changed.
Designer-43196	Drawing a connection may result in a validation error.
Designer-38957	Error message 'E - Error in function UpdateTextWithSpecifiedSource::GetAttrFlags(), ret = 2' or when applying attribute indicator to connection.
Designer-41411	If new segments are created when moving segments in E3.formboard, they should be connected via segment-connecting nodes to reduce problems when importing a harness (update) via E3.3DRoutingBridge.
Designer-41429	Models might be visible only in 3D representation.
Designer-41859	It may happen that the display sequence of devices snapped on in 2D view is not correct.

Designer-41873	Search for attributes - name: 'Valid mating connector' - value from the selection list - nothing found.
Designer-42106	COM: 'GetBOMPartList' should output "ParentStructureNodeGID" for wires in dynamic cables.
Designer-42167	COM: 'Symbol.PlacePins' of a device view does not work with feed through connector.
Designer-42237	COM: 'JobInterface::GetLastAddedItems' returns only one item if you place attribute references via 'insert multiple times'.
Designer-42357	An existing restricted area is misinterpreted.
Designer-42574	DBE: If an internal attribute is used for component names and this attribute is not available everywhere, the <valid cavity parts> selection will only show ???
Designer-42593	Depending on the placement in the panel, texts of models are displayed or not.
Designer-42606	The auxiliary line of a text to the owner may not point to the symbol graphic.
Designer-42618	In symbol properties, same text types (in the example the signal names) are not displayed below each other.
Designer-42623	Update in project causes change of wire type if setting 'General - Update in project - Prefer order of symbol, core and pin' is active.
Designer-42625	Optimize graphic objects' changes line width to 0 and it might happen with polygons that the shape is changed.
Designer-42700	PDF export: wire template symbols are output in PDF despite disabled option.
Designer-42726	In graphical compare of E3S files, some sheets are displayed in a different folder and sheet texts are reported as different.
Designer-42760	E3.Topology - signal logic lines are not displayed with split block.
Designer-42772	Settings - General - Checks' (0041) Open function ports cannot be disabled individually. Only in combination with check (0043).
Designer-42784	It may happen that an incorrect device designation is created when placing on a sheet with assignment/location.
Designer-42785	Importing subcircuit and reading from e3d fails because of inconsistency of the base project. => Error which leads to the inconsistency is fixed.
Designer-42786	Models might be visible only in 3D representation.
Designer-42808	Command "Distribute vertically" does not work correctly for mounting rails.
Designer-42811	"Save current configuration without variants / options" - conductors are no longer displayed.
Designer-42850	Panel - placement of dynamic components on 2D view not possible.
Designer-42851	After copying panel sheets, wrong coordinates are displayed.
Designer-42869	Database editor: Starting directly with /DBE not possible if existing license for SmallProject and sheet limit not equal to 30.
Designer-42870	When the terminal table is switched on, it might happen that the messages "chain\validate_this: xxxx is invalid" will appear.
Designer-42887	Attribute text indicator initially displays attribute value of cable bundle/overbraids.
Designer-42904	E3.RevisionManagement: PDF file shows wrong representations.
Designer-42947	Project conversion with parameter /sheets leads to error message "invalid file type" and E3 is freezing.
Designer-42959	If there are many wires in a project, they can no longer be renamed.
Designer-42971	With active setting "Keep active mating connectors and cavity parts", active mating connectors are swapped regardless.
Designer-42975	When connecting mating connectors, open conductor ends of open connections are not assigned.
Designer-42994	Create PDF: Message "A link annotation refers to non-existing page" for hierarchically sorted sheet tree.

Designer-43043	Exporting (and importing) subcircuit is faulty because a wrong symbol version is exported.
Designer-43051	After opening and editing an embedded PowerPoint file, the message "W - Not enough memory to complete the operation." shows up.
Designer-43090	Placing a split block results in the error message "E - Invalid position - symbol cannot be placed on block symbol!"
Designer-43100	Pins of connector symbols placed on a block cannot be changed.
Designer-43196	Drawing a connection may result in a validation error.

Additionally to the bug fixes we also have added some new / enhanced functionality in this patch

Designer-28605	COM: COM function to determine and change the length of shield, twist or bundle symbols.
Designer-42506	When calling E3.series.exe with -v, the output should be optionally written to a file.



Americas

North America

Zuken USA Inc.
Westford, MA 01886, USA
Tel: +1 978 692 4900

Asia

Japan

Zuken (World Wide Head Office)
Yokohama, Kanagawa 224-8585, Japan
Tel: +81 45 942 1511

China

Zuken (Shanghai) Technical Center Co., Ltd.
Room 301, No.555 Nanjing West Road, Shanghai,
200041, People's Republic of China
Tel: +86-21-3218-1784

Korea

Zuken Korea Inc.
Seoul 135-283, Korea
Tel: +82 2 5648031

Singapore

Zuken Singapore Pte Ltd.
#22-05 Gateway East, Singapore 189721
Tel: +65 6392 5855

Taiwan

Zuken Taiwan Inc.
Taipei 110, Taiwan
Tel: +886 2 7718 1116



Europe

Germany

Zuken GmbH (European HQ)
D-85399 Hallbergmoos, Germany
Tel: +49 89 7104059 00

Zuken E3 GmbH
D-89079 Ulm, Germany
Tel: +49 7305 9309 0

Zuken E3 GmbH
D-30659 Hannover, Germany
Tel: +49 511 8595 9489

Switzerland

Zuken E3 GmbH
CH-5504 Othmarsingen, Switzerland
Tel: +41 62 561 08 00

United Kingdom

Zuken UK Ltd.
Bristol, BS32 4RF, UK
Tel: +44 1454 207 801

France

Zuken S.A.
#91974 Les Ulis Cédex, France
Tel: +33 1 69 29 48 00

Italy

Zuken S.r.l.
20090 Milanofiori Assago, Milan, Italy
Tel: +39 02 575 921

Netherlands

Zuken GmbH
NL-6075 HA Herkenbosch, The Netherlands
Tel: +31 475 520 998